Notice of Allowability	Application No.	Applicant(s)	
	10/699,926	CHANG, HUANG-TUNG	
	Examiner	Art Unit	
	Ninh H. Nguyen	3745	
The MAILING DATE of this communication apper All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in or other appropriate commits GHTS. This application is	n this application. If not included	itive
1. This communication is responsive to			
2. The allowed claim(s) is/are <u>1-8</u> .		•	
 3. Acknowledgment is made of a claim for foreign priority uner a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents 	been received. been received in Application	on No	
International Bureau (PCT Rule 17.2(a)).		and manufactured appropriate month and	
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" on noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file ENT of this application.	a reply complying with the requirements	
4. A SUBSTITUTE OATH OR DECLARATION must be submi INFORMAL PATENT APPLICATION (PTO-152) which give	tted. Note the attached EX. s reason(s) why the oath o	AMINER'S AMENDMENT or NOTICE OF declaration is deficient.	
5. CORRECTED DRAWINGS (as "replacement sheets") must	t be submitted.		
(a) ☐ including changes required by the Notice of Draftsperso		v (PTO-948) attached	
1) hereto or 2) to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	Amendment / Comment of	in the Office action of	
Identifying indicia such as the application number (see 37 CFR 1.6 each sheet. Replacement sheet(s) should be labeled as such in the	84(c)) should be written on t e header according to 37 CF	ne drawings in the front (not the back) of R 1.121(d).	
 DEPOSIT OF and/or INFORMATION about the depose attached Examiner's comment regarding REQUIREMENT F 	it of BIOLOGICAL MAT	FRIAL must be submitted. Note the	
		<u>,</u>	
Attachment(s)			
1. Notice of References Cited (PTO-892)	· <u> </u>	ormal Patent Application	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Si Paper No./	ımmary (PTO-413), Mail Date	
 Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 	7. Examiner's	Amendment/Comment	
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛭 Examiner's	Statement of Reasons for Allowance	
- · · · · · · · · · · · · · · · · · · ·	9. 🗌 Other		
		Mark H. Manylar	1

PRIMARY EXAMINER

Application/Control Number: 10/699,926

Art Unit: 3745

Reasons for Allowance

1. The following is an examiner's statement of reasons for allowance:

The instant application is deemed to be directed to a non-obvious improvement over the invention patented in Pat. No. 5,123,641. The improvements are the air resistance generating device comprising a tubular casing having a shaft rotatably received therein and an adjusting member connected to an end of the casing, the shaft having and end fixed to the adjusting member; a plurality of frames connected to the casing and extending radially outward from the casing, each frame being a closed frame so as to enclose a through space, and a plurality of blades each having one end thereof reeving through the shaft and the other end of the blades slidable received in the frames.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Prior Art

The prior art made of record but not relied upon is considered pertinent to applicant's disclosure and consists of 2 patents.

Metcalf (5,290,212) and Woods et al. (5,795,270) are cited to show different exercising equipments having air resistance force generating devices.

Art Unit: 3745

Contact Information

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Examiner Ninh Nguyen whose telephone number is (571) 272-

4823. The examiner can be normally reached on Monday-Friday from 7:30 A.M. to 5:00 P.M.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Edward Look, can be reached at (571) 272-4820. The fax number for this group is

(571) 273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, please go to http://pair-direct.uspto.gov or contact the Electronic Business center (EBC)

at 866-217-9197 (toll-free).

NINH H. NGUYEN

PRIMARY EXAMINER

Nhn

January 12, 2007